

Timber Alternative 70mm PVCu French Window



HARDWARE OPTIONS



A select range of hardware finishes are available to suit contemporary or traditional installations.

STANDARD FINISHES

PlatinumNRG SCULPTURED



Rosewood



Rosewood on White



Oak



Oak on White



Black



Black on White



Cream



Whitegrain

ADDITIONAL HARDWARE OPTIONS



Modern Monkey-tail Handle

Modern Tear-drop Handle



Traditional Monkey-tail Handle



Traditional Tear-drop Handle



OPTIONAL FINISHES

A wide range of woodgrain and colouredfoil options are available for either or both internal and external faces or even differing frames and sashes.





Fusion-welded or optional mechanically-jointed frame and sash

Ultra-low profile glazing gasket means the gasket is almost invisible

Heavy-duty friction stays for top-hung windows.

Heavy-duty easy-clean/ fire escape friction stays for side-hung windows

High security, multi-point locking system comprising of roller-cam bolts, twin shoot-bolts and optional hinge bolts

Contemporary or Traditional handles available in a choice of finishes

A choice of either black, white or grey, warm edge spacer bar

High-impact modified PVCu to prevent cracking with age or extreme cold

Internally glazed for enhanced security

Double-glazed unit uses clear SGG Planitherm TOTAL+ energy glass, to achieve maximum amounts of incoming light, and an 'A' Energy Rating PLEASE NOTE: Due to the design of the flushSASH system, the sashes do not have a night-vent position


(butt) Joint



Standard fusion-welded sash works seamlessly with the optional mechanically-jointed outer frame

Optional
MECHANICAL
(BUTT) JOINT

Optional **DEEP BOTTOM RAIL** recreates the wider timber used across the bottom of the sash on older windows








STANDARD EASY-CLEAN HINGES




The Easy-Clean hinges enable the sash to be opened at 90 degrees



By pressing down on the purple button, the sash is released and can slide along it's hinge runner



This now gives access to the front of the sash from indoors for cleaning.



www.**platinum**nrg.co.uk

BFRC

Reg. No.: 4624 M060 Review Date: 12/2015

6-chamber frame and 4-chamber sash.