BS DECLARATION OF CONFORMITY

(System 3)

Issue No: NRG-SD-001

Teamframes Ltd
26-36 Hawthorn Road
Eastbourne
East Sussex BN23 6QA

This document declares that the product:

Liniar – Platinum NRG Single Doorsets

External pedestrian doorset for domestic and commercial buildings – non emergency exit use
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness[2]	Class 7A	BS EN 1027	[1] Report Sim D00290 [2]BM Trada (UKAS 1762) Report: BMT/MTP/F14170
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load[2]	Class A3	BS EN 12211	
Impact resistance	NPD	BS EN 13049	
Load-bearing capacity of safety devices	Not fitted	BS EN 948	
Height & Width (mm)	NPD	BS EN 14351-1 2006+A2:2016	
Ability to release	Not applicable	BS EN 179 & BS EN 1125	
Acoustic performance	NPD	BS EN ISO 140-3	
Thermal transmittance[1]	1.4 W/m².k	BS EN ISO 10077-1 BS EN ISO 10077-2 BS EN ISO 12567-1 BS EN 12567-2	
Radiation properties	NPD	BS EN 410	
Air permeability[2]	Class 4	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Joel Ufton – Managing Director

Date of Issue: 17 May 2022