BS DECLARATION OF CONFORMITY

(System 3)

Issue No: NRG-CW-001

Teamframes Ltd
26-36 Hawthorn Road
Eastbourne
East Sussex BN23 6QA

This document declares that the product:

Liniar – Platinum NRG Casement Windows

For domestic and commercial buildings – non-escape routes
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness[1]	600Pa Class 9A	BS EN 1027	[1]Chiltern Dynamics (UKAS 1762) Report: Chilt/P10062/A Chiltern Dynamics (UKAS 1762) Report: Chilt/P10062/B Exova (UKAS 0621) Report: 306506 [2]Chiltern Dynamics (UKAS 1762) Report: Chilt/MTZF13021 [3] Report Sim W3103 [4]Exova (UKAS 0621) Autolatch Report: WIL 327294 BSI: Restrictor Stay Report: 2370/7492989
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load[1]	1200Pa Class A3	BS EN 12211	
Load-bearing capacity of [4] safety devices	350N	BS EN 14609	
Acoustic performance[2]	36 db	BS EN ISO 140-3 BS EN 10140-2	
Thermal transmittance[3]	1.4 W/m².k	BS EN ISO 10077-1 BS EN ISO 10077-2 BS EN ISO 12567-1 prEN 12567-2	
Radiation properties	NPD	BS EN 410	
Air permeability[1]	600Pa Class 4	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Joel Ufton – Managing Director

Date of Issue: 17 May 2022