



BS DECLARATION OF CONFORMITY

(System 3)

Issue No: SH-SGIP-001

Teamframes Ltd
26-36 Hawthorn Road
Eastbourne
East Sussex BN23 6QA

This document declares that the product:

Sheerline – Sheerglide Inline Patio Doorsets

External pedestrian doorset for domestic and commercial buildings – non emergency exit use
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness	NPD	BS EN 1027	¹ Sheerline U-value Reports: SG002-001 (double glazed) SG003-001 (triple glazed) Produced by Garner Aluminium Extrusions Ltd (Verified Simulator)
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load	NPD	BS EN 12211	
Impact resistance	NPD	BS EN 13049	
Load-bearing capacity of safety devices	Not fitted	BS EN 948	
Height & Width (mm)	NPD	BS EN 14351-1 2006+A2:2016	
Ability to release	Not applicable	BS EN 179 & BS EN 1125	
Acoustic performance	NPD	BS EN ISO 140-3	
Thermal transmittance ¹	1.4 W/m ² .k (double glazed) 1.0 W/m ² .k (triple glazed)	EN ISO 10077-1 EN ISO 10077-2 EN ISO 12567-1 prEN 12567-2	
Radiation properties	NPD	EN 410	
Air permeability	NPD	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Teamframes Ltd.

Signed on behalf of Teamframes Ltd:

Signature:

Name and Position: Joel Ufton – Managing Director

Date of Issue: 28 September 2026