BS DECLARATION OF CONFORMITY

(System 3)
Issue No: SH-CC-001

Teamframes Ltd
26-36 Hawthorn Road
Eastbourne
East Sussex BN23 6QA

This document declares that the product:

Sheerline – Classic Casement Windows

For domestic and commercial buildings – non-escape routes
Conforming to BS EN 14351-1:2006+A2:2016 Annex ZA

Essential Characteristics	Performance	Test Standards	Test Source Data
Watertightness[3]	Class 7A	BS EN 1027	[1]Exova (UKAS 0621) Autolatch Report: WIL 327795 BSI: Restrictor Stay Report: WIL 327795 [2] Build Check (UKAS 4044) Report: CU21329-3 [3] BSI (UKAS 0135) Report: 3103974
Dangerous substances	None	BS EN 14351-1: 2006+A2:2016	
Resistance to wind load[3]	Class CE2400	BS EN 12211	
Load-bearing capacity of [1] safety devices	350N	BS EN 14609	
Acoustic performance	NPD	BS EN ISO 140-3 BS EN 10140-2	
Thermal transmittance[2]	1.4 W/m².k	EN ISO 10077-1 EN ISO 10077-2 EN ISO 12567-1 prEN 12567-2	
Radiation properties	NPD	EN 410	
Air permeability[3]	Class 4	BS EN 1026	

This declaration of performance is issued under the sole responsibility of Whiteline Manufacturing Ltd.

Signed on behalf of Whiteline Manufacturing Ltd:

Signature:

Name and Position: Joel Ufton – Managing Director

Date of Issue: 17 May 2022